



DH2 985 ISLAND Decorative island hood with eletronic panel and ECOPOWER motor A in 90 cm



A Energy Class



LED



Stop Delay
Timer

DESCRIPTION

Decorative island hood with eletronic panel and ECOPOWER motor A in 90 cm

LIFE STYLE

Maestro

COLOURS



REFERENCE

EAN. 8421152145715




DH2 985 ISLAND

FEATURES

Island hood
EcoPower motor
Energy Efficiency class: A
Electronic panel
White display
Operating pilot light
3 speeds + 1 intensive
Exhaust capacities:
Free Outlet, m³/h: 920
Qboost, m³/h: 796
Max., m³/h: 605
Min., m³/h: 311
Noise (LwA) Boost Speed, dB: 71
Noise (LwA) Max Speed, dB: 66
Noise (LwA) Min Speed, dB: 52
4 LED lamps
4/3 stainless steel-aluminium filters
Reinforced Black Glass
Easy to clean inside panel
Stop delay timer
Filter saturation indicator

DIMENSIONS

Product height (mm): 817 /
1117 + 62
Product width (mm): 900
Product depth (mm): 600
Product length (mm):
Net weight (Kg): 36,01



TECH SPECS

PARTICULAR CHARACTERISITICS

Type of hood: Island
Style: Decoratives
Certificates: CE; CB; Rohs
Ø Outlet (mm): 150
Type of inner light: LED
Inside light Consumption (W): 3
Plug type: European plug
Power rate (V): 220-240
Frequency (Hz): 50
Total hood power (W): 292
Number of motors: 1
Motor power (W): 280
Exhaust Capacity - Free Outlet (m3/h): 920

**EU REGULATION NO. 65/2014
&66/2104**

Annual energy consumption AEC kWh/annum (kWh): 47,8
Energy Efficiency Class: A
Fluid Dynamic Efficiency (FDEhood): 32,3
Fluid Dynamic Efficiency class: A
Light Efficiency (Lehood) lux/Watt: 58,3
Lighting Efficiency class: A

ACCESSORIES

Grease Filtering Efficiency class: C
Air flow (Qmin) m3/h: 311
Air flow (Qmax): 605
Air flow (Qboost): 796
Noise (LwA) Min Speed (dB): 52
Noise (LwA) Max Speed (dB): 66
Noise (LwA) boost speed (dB): 71
Standby Power (Ps) W: 0,56
Energy Efficiency Index (EEI): 50,1
Time increase factor: 0,8
Electric power input at best efficiency point (Wbep) W: 133,7
Nominal power of the lighting system (WL) W: 12
Average illumination of the lighting system on the cooking surface (Emiddle) Lux: 700

Anti Return valve: Yes
Outlet reduction: Yes
Optional Charcoal Filter: D4C
Charcoal filter description: CHARCOAL FILTER D4C
Conventional recirculation kit (with tube cover): 40490149

MODELS

Number of filters: 3
Filter description: Stainless Steel filters
Control panel: Backlit electronic control with white display
Stop delay timer: Yes
Filter saturation indicator: Yes
Easy-clean inside panel: Yes
Number of speeds: 3+1



DH2 985 ISLAND

ENERGY LABEL

